

# SalterSTAT Capnography

## Ordering Guide

Striving  
to be  
**#1 IN PATIENT  
SATISFACTION**




# Table of Contents

<b>Orange Series for Monitors Requiring Reflective Connectors</b>	3
ORAL-NASAL CO <sub>2</sub> SAMPLING CANNULAS WITH O <sub>2</sub> DELIVERY	3
NASAL-ONLY CO <sub>2</sub> SAMPLING CANNULAS WITH O <sub>2</sub> DELIVERY	3
NASAL-ONLY CO <sub>2</sub> SAMPLING CANNULAS	3
SAMPLING LINES, CO <sub>2</sub>	4
.....	
<b>Green Series for Monitors Requiring Luer-Style Connectors</b>	5
DIVIDED CO <sub>2</sub> /O <sub>2</sub> NASAL-ONLY CANNULAS WITH SOFT TUBING AND SALTER EYES	5
DIVIDED CO <sub>2</sub> /O <sub>2</sub> NASAL-ONLY CANNULAS WITH STANDARD TUBING AND SALTER EYES	7
DIVIDED CO <sub>2</sub> /O <sub>2</sub> ORAL-NASAL CANNULAS WITH STANDARD TUBING AND SALTER EYES	8
DIVIDED CO <sub>2</sub> /O <sub>2</sub> NASAL-ONLY CANNULAS WITH SOFT TUBING, FOR SHORTER PROCEDURES (NO SALTER EYES)	9
DIVIDED CO <sub>2</sub> /O <sub>2</sub> NASAL-ONLY CANNULAS WITH STANDARD TUBING, FOR SHORTER PROCEDURES (NO SALTER EYES)	10
PIGGYBACK CO <sub>2</sub> /O <sub>2</sub> NASAL-ONLY CANNULAS (SAMPLING AND DELIVERY THROUGH BOTH PRONGS)	11
CO <sub>2</sub> SAMPLING CANNULAS (NO O <sub>2</sub> DELIVERY)	12
CO <sub>2</sub> SAMPLING LINES	13
ANESTHETIC GAS SAMPLING LINES (CO-EXTRUDED PVC AND POLYETHYLENE)	15
.....	
<b>Blue Series CapnVue CO<sub>2</sub> Sampling Masks with O<sub>2</sub> Delivery</b>	16
M1 STANDARD MASK	16
SCOPE MASK FOR UPPER-GI PROCEDURES	16

# Orange Series for Monitors Requiring Reflective Connectors



Oral-Nasal Facepiece



Reflective Connector



Thread-Grip Connector

ADULT			PEDIATRIC			INFANT		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
Oral-Nasal CO <sub>2</sub> Sampling with O <sub>2</sub> Delivery, Filtered for Short-Term Use								
4MSF1-0-6-25	2 in.	6 ft.						
4MSF1-0-13-25	2 in.	13 ft.						
4MSF1-7-6-25	7 ft.	6 ft.	4MSF2-PED-7-6-25	7 ft.	6 ft.			
4MSF1-7-13-25	7 ft.	13 ft.	4MSF2-PED-7-13-25	7 ft.	13 ft.			

Oral-Nasal CO <sub>2</sub> Sampling with O <sub>2</sub> Delivery, Filtered + Nafion for Long-Term Use								
4MSF1-L-7-6-25	7 ft.	6 ft.	4MSF2-L-PED-7-6-25	7 ft.	6 ft.			
4MSF1-L-7-13-25	7 ft.	13 ft.	4MSF2-L-PED-7-13-25	7 ft.	13 ft.			

Nasal-Only CO <sub>2</sub> Sampling with O <sub>2</sub> Delivery, Filtered for Short-Term Use								
4MSF3-7-6-25	7 ft.	6 ft.	4MSF3-PED-7-6-25	7 ft.	6 ft.			
4MSF3-7-13-25	7 ft.	13 ft.						

Nasal-Only CO <sub>2</sub> Sampling with O <sub>2</sub> Delivery, Filtered + Nafion for Long-Term Use								
4MSF3-L-7-6-25	7 ft.	6 ft.	4MSF3-L-PED-7-6-25	7 ft.	6 ft.	4MSF3-L-INF-7-6-25	7 ft.	6 ft.


Nasal-Only CO <sub>2</sub> Sampling, Filtered for Short-Term Use								
4MSF3-L-6-25	N/A	6 ft.	4MSF3-PED-6-25	N/A	6 ft.	4MSF3-INF-6-25	N/A	6 ft.

Nasal-Only CO <sub>2</sub> Sampling, Filtered + Nafion for Long-Term Use								
4MSF3-L-6-25	N/A	6 ft.				4MSF3-L-INF-6-25	N/A	6 ft.
						4MSF3-L-INF-13-25	N/A	13 ft.


# Orange Series for Monitors Requiring Reflective Connectors

FILTERED FOR SHORT-TERM USE		FILTERED + NAFION FOR LONG-TERM USE	
ITEM	CO <sub>2</sub> LENGTH	ITEM	CO <sub>2</sub> LENGTH
<b>Inline Sampling Lines with 15 mm Connector Adult/Pediatric</b>			
4MSF5-6-25	6 ft.	4MSF5-L-6-25	6 ft.
4MSF5-13-25	13 ft.	4MSF5-L-13-25	13 ft.
<b>ETCO<sub>2</sub> Filtered Sampling Line with One Reflective, One Luer-Style Connector</b>			
4MSF8-6-25	6 ft.	4MSF8-L-6-25	6 ft.
4MSF8-13-25	13 ft.	4MSF8-L-13-25	13 ft.
4MSF8-30-25	30 ft.		

# Green Series for Monitors Requiring Luer-Style Connectors



Divided Cannula



Male Luer



Female Luer



Trumpet



Thread Grip

## DIVIDED CANNULAS WITH SOFT TUBING AND SALTER EYES FOR OCCLUSION MANAGEMENT

ADULT			PEDIATRIC		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
<b>Male Luer-Style CO<sub>2</sub> Connectors, Trumpet O<sub>2</sub> Connectors</b>					
47SOFT-7-0-25	7 ft.	2 in.	47SOFT-PED-7-0-25	7 ft.	2 in.
			47SOFT-PED-7-2-25	7 ft.	2 ft.
47SOFT-7-7-25	7 ft.	7 ft.	47SOFT-PED-7-7-25	7 ft.	7 ft.
47SOFT-10-10-25	10 ft.	10 ft.			
47SOFT-13-13-25	13 ft.	13 ft.			

### Male Luer-Style CO<sub>2</sub> Connectors, Trumpet O<sub>2</sub> Connectors with Filter

47SOFT-SP-7-7-25	7 ft.	7 ft.			
------------------	-------	-------	--	--	--

### Female Luer-Style CO<sub>2</sub> Connectors, Trumpet O<sub>2</sub> Connectors

47SOFT-F-7-0-25	7 ft.	2 in.	47SOFT-F-PED-7-0-25	7 ft.	2 in.
47SOFT-F-7-7-25	7 ft.	7 ft.	47SOFT-F-PED-7-7-25	7 ft.	7 ft.
			47SOFT-F-PED-14-14-25	14 ft.	14 ft.

### Male Luer-Style CO<sub>2</sub> Connectors, Universal Thread Grip O<sub>2</sub> Connectors

47SOFT-TG-7-0-25	7 ft.	2 in.			
47SOFT-TG-7-7-25	7 ft.	7 ft.	47SOFT-TG-PED-7-7-25	7 ft.	7 ft.
47SOFT-TG-10-10-25	10 ft.	10 ft.			
47SOFT-TG-14-14-25	14 ft.	14 ft.			

# Green Series for Monitors Requiring Luer-Style Connectors

DIVIDED CANNULAS WITH SOFT TUBING AND SALTER EYES FOR OCCLUSION MANAGEMENT					
ADULT			PEDIATRIC		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
<b>Female Luer-Style CO<sub>2</sub> Connectors, Universal Thread Grip O<sub>2</sub> Connectors</b>					
47SOFT-FTG-7-0-25	7 ft.	2 in.			
47SOFT-FTG-7-7-25	7 ft.	7 ft.	47SOFT-FTG-PED-7-7-25	7 ft.	7 ft.
47SOFT-FTG-10-10-25	10 ft.	10 ft.			

# Green Series for Monitors Requiring Luer-Style Connectors

DIVIDED CANNULAS WITH STANDARD TUBING AND SALTER EYES FOR OCCLUSION MANAGEMENT								
ADULT			PEDIATRIC			INFANT		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
Male Luer-Style CO <sub>2</sub> Connectors			, Trumpet O <sub>2</sub> Connectors			, Nasal Only		
4706-7-0-25	7 ft.	2 in.	4702-7-0-25	7 ft.	2 in.	4701-7-0-25	7 ft.	2 in.
4707-7-7-25	7 ft.	7 ft.	4703-7-7-25	7 ft.	7 ft.	4700-7-7-25	7 ft.	7 ft.
4707-10-10-25	10 ft.	10 ft.						
4707-13-13-25	13 ft.	13 ft.						

Male Luer-SLIP Style CO <sub>2</sub> Connectors, Trumpet O <sub>2</sub> Connectors, Nasal Only								
4787-7-2-25	7 ft.	2 ft.	4783-7-2-25	7 ft.	2 ft.			

Female Luer-Style CO <sub>2</sub> Connectors, Trumpet O <sub>2</sub> Connectors, Nasal Only								
4706F-7-0-25	7 ft.	2 in.	4702F-7-0-25	7 ft.	2 in.	4701F-7-0-25	7 ft.	2 in.
4707F-7-7-25	7 ft.	7 ft.	4703F-7-7-25	7 ft.	7 ft.	4700F-7-7-25	7 ft.	7 ft.
4707F-14-14-25	14 ft.	14 ft.						

Male Luer-Style CO <sub>2</sub> Connectors, Universal Thread Grip O <sub>2</sub> Connectors, Nasal Only								
4706TG-7-0-25	7 ft.	2 in.						
4707TG-7-7-25	7 ft.	7 ft.	4703TG-7-7-25	7 ft.	7 ft.			
4707TG-10-10-25	10 ft.	10 ft.						
4707TG-13-13-25	13 ft.	13 ft.						
4707TG-14-14-25	14 ft.	14 ft.						

Female Luer-Style CO <sub>2</sub> Connectors, Universal Thread Grip O <sub>2</sub> Connectors, Nasal Only								
4706FTG-7-0-25	7 ft.	2 in.						
4707FTG-7-7-25	7 ft.	7 ft.	4703FTG-7-7-25	7 ft.	7 ft.	4700FTG-7-7-25	7 ft.	7 ft.
4707FTG-10-10-25	10 ft.	10 ft.						

# Green Series for Monitors Requiring Luer-Style Connectors

DIVIDED CANNULAS WITH STANDARD TUBING, SALTER EYES FOR OCCLUSION MANAGEMENT, AND FILTER								
ADULT			PEDIATRIC			INFANT		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
Male Luer-Style CO <sub>2</sub> Connectors Trumpet O <sub>2</sub> Connectors Nasal Only								
4708-7-2-25	7 ft.	2 ft.						
4747SP-7-7-25	7 ft.	7 ft.						

DIVIDED CANNULAS WITH STANDARD TUBING, SALTER EYES FOR OCCLUSION MANAGEMENT, AND ORAL TRACK SAMPLING								
Male Luer-Style CO <sub>2</sub> Connectors, Trumpet O <sub>2</sub> Connectors, Oral-Nasal								
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
4793-7-7-25	7 ft.	7 ft.						
4796-7-0-25	7 ft.	2 in.						
4797-7-7-25	7 ft.	7 ft.						

Female Luer-Style CO <sub>2</sub> Connectors, Trumpet O <sub>2</sub> Connectors, Oral-Nasal								
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
4793F-7-7-25	7 ft.	7 ft.						
4796F-7-0-25	7 ft.	2 in.						
4797F-7-7-25	7 ft.	7 ft.						

Male Luer-Style CO <sub>2</sub> Connectors, Universal Thread Grip O <sub>2</sub> Connectors, Oral-Nasal								
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
4797TG-7-7-25	7 ft.	7 ft.						

DIVIDED CANNULAS WITH STANDARD TUBING, SALTER EYES, ORAL TRACK SAMPLING, AND FILTER								
Male Luer-Style CO <sub>2</sub> Connectors, Trumpet O <sub>2</sub> Connectors, Oral-Nasal with Filter								
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
4797SP-7-7-25	7 ft.	7 ft.						



# Green Series for Monitors Requiring Luer-Style Connectors

DIVIDED CANNULAS WITH SOFT TUBING AND STANDARD PRONGS FOR SHORTER PROCEDURES					
MALE LUER-STYLE CO <sub>2</sub> CONNECTORS			FEMALE LUER-STYLE CO <sub>2</sub> CONNECTORS		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
<b>Adult</b>					
<b>Trumpet O<sub>2</sub> Connectors</b>					
49SOFT-7-0-25	7 ft.	2 in.	49SOFT-F-7-0-25	7 ft.	2 in.
49SOFT-7-7-25	7 ft.	7 ft.	49SOFT-F-7-7-25	7 ft.	7 ft.
49SOFT-10-10-25	10 ft.	10 ft.	49SOFT-F-10-10-25	10 ft.	10 ft.
49SOFT-14-14-25	14 ft.	14 ft.	49SOFT-F-14-14-25	14 ft.	14 ft.

<b>Universal Thread Grip O<sub>2</sub> Connectors</b>					
49SOFT-TG-7-7-25	7 ft.	7 ft.	49SOFT-FTG-7-7-25	7 ft.	7 ft.
49SOFT-TG-10-10-25	10 ft.	10 ft.	49SOFT-FTG-10-10-25	10 ft.	10 ft.
49SOFT-TG-14-14-25	14 ft.	14 ft.			

# Green Series for Monitors Requiring Luer-Style Connectors

DIVIDED CANNULAS WITH STANDARD TUBING AND STANDARD PRONGS FOR SHORTER PROCEDURES					
MALE LUER-STYLE CO <sub>2</sub> CONNECTORS			FEMALE LUER-STYLE CO <sub>2</sub> CONNECTORS		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
<b>Adult, Trumpet O<sub>2</sub> Connectors</b>					
4950-7-0-25	7 ft.	2 in.	4950F-7-0-25	7 ft.	2 in.
4950-7-7-25	7 ft.	7 ft.	4950F-7-7-25	7 ft.	7 ft.
4950-10-10-25	10 ft.	10 ft.	4950F-10-10-25	10 ft.	10 ft.
4950-14-14-25	14 ft.	14 ft.	4950F-14-14-25	14 ft.	14 ft.
<b>Adult, Universal Thread Grip O<sub>2</sub> Connector</b>					
4950TG-7-7-25	7 ft.	7 ft.	4950FTG-7-7-25	7 ft.	7 ft.
4950TG-10-10-25	10 ft.	10 ft.	4950FTG-10-10-25	10 ft.	10 ft.
4950TG-14-14-25	14 ft.	14 ft.			
4950-14-14-25	14 ft.	14 ft.			

# Green Series for Monitors Requiring Luer-Style Connectors

PIGGYBACK CO <sub>2</sub> /O <sub>2</sub> CANNULAS (SAMPLING AND DELIVERY THROUGH BOTH PRONGS)					
MALE LUER-STYLE CO <sub>2</sub> CONNECTORS			FEMALE LUER-STYLE CO <sub>2</sub> CONNECTORS		
ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	CO <sub>2</sub> LENGTH
<b>Adult</b>					
<b>Trumpet O<sub>2</sub> Connectors</b>					
			4002F-7-0-25	7 ft.	2 in.
4002-7-7-25	7 ft.	7 ft.	4002F-7-7-25	7 ft.	7 ft.
4002-10-10-25	10 ft.	10 ft.	4002F-10-10-25	10 ft.	10 ft.
4002-14-14-25	14 ft.	14 ft.	4002F-14-14-25	14 ft.	14 ft.

<b>Universal Thread Grip O<sub>2</sub> Connectors</b>					
4003-7-7-25	7 ft.	7 ft.	4003F-7-7-25	7 ft.	7 ft.

<b>Pediatric</b>					
<b>Trumpet O<sub>2</sub> Connectors</b>					
4102-7-7-25	7 ft.	7 ft.	4102F-7-7-25	7 ft.	7 ft.
4103-7-7-25	7 ft.	7 ft.	4103F-7-7-25	7 ft.	7 ft.

# Green Series for Monitors Requiring Luer-Style Connectors

## CO<sub>2</sub> SAMPLING CANNULAS (NO O<sub>2</sub> DELIVERY)

MALE LUER-STYLE CO <sub>2</sub> CONNECTORS		FEMALE LUER-STYLE CO <sub>2</sub> CONNECTORS	
ITEM	O <sub>2</sub> LENGTH	ITEM	CO <sub>2</sub> LENGTH
<b>Adult</b>			
		4000F-2-25	2 ft.
4000-7-25	7 ft.	4000F-7-25	7 ft.

<b>Adult</b>			
4801-2-25	2 ft.		2 in.
4001-7-25	7 ft.	4001F-7-25	7 ft.

<b>Pediatric</b>			
		4100F-2-25	2 in.
4100-7-25	7 ft.	4100F-7-25	7 ft.

<b>Infant</b>			
4200-7-25	7 ft.	4200F-7-25	

<b>Pediatric</b>			
4101-7-25	7 ft.		
4181-2-25	2 ft.		

# Green Series for Monitors Requiring Luer-Style Connectors

STANDARD GAS SAMPLING LINES								
1 MALE, 1 FEMALE LUER-STYLE CONNECTOR			2 MALE LUER-STYLE CONNECTORS			2 FEMALE LUER-STYLE CONNECTORS		
ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.	ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.	ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.
<b>No Moisture Management</b>								
			4504-4-25	4 ft.	0.55 in.			
4407-7-25	7 ft.	0.55 in.	4507-7-25	7 ft.	0.55 in.	4607-7-25	7 ft.	0.55 in.
ZML-9223-7-50	7 ft.	0.60 in.	ZML-9120-7-50	7 ft.	0.6 in.			
ZML-9400-8-50	8 ft.	0.40 in.	ZML-9300-8-50	8 ft.	0.4 in.			
ZML-9430-8-50	8 ft.	0.50 in.	ZML-9330-8-50	8 ft.	0.5 in.			
ZML-9420-8-50	8 ft.	0.60 in.	ZML-9320-8-50	8 ft.	0.6 in.			
ZML-9600-10-50	10 ft.	0.40 in.						
ZML-9630-10-50	10 ft.	0.50 in.						
4410-10-25	10 ft.	0.55 in.	4510-10-25	10 ft.	0.55 in.			
4415-15-25	15 ft.	0.55 in.	4515-15-25	15 ft.	0.55 in.			
			4530-30-25	30 ft.	0.55 in.			

Filter for Moisture Management								
			ZML-9021-MSL-5-50	5 ft.	0.60 in.			
ZML-9401-8-50	8 ft.	0.40 in.	ZML-9301-8-50	8 ft.	0.40 in.			
			ZML-9331-8-50	8 ft.	0.50 in.			
ZML-9631-10-50	10 ft.	0.50 in.	ZML-9531-10-50	10 ft.	0.50 in.			
ZML-9621-10-50	10 ft.	0.60 in.	ZML-9521-10-50	10 ft.	0.60 in.			

12-in. Nafion for Moisture Management								
			ZML-9303-8-50	8 ft.	0.40 in.			
			ZML-9333-8-50	8 ft.	0.50 in.			
			ZML-9526-10-50	10 ft.	0.60 in.			

# Green Series for Monitors Requiring Luer-Style Connectors

STANDARD GAS SAMPLING LINES								
1 MALE, 1 FEMALE LUER-STYLE CONNECTOR			2 MALE LUER-STYLE CONNECTORS			2 FEMALE LUER-STYLE CONNECTORS		
ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.	ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.	ITEM	CO <sub>2</sub> LENGTH	TUBING I.D.
Filter and 12-in. Nafion for Moisture Management								
			ZML-9306-8-50	8 ft.	0.40 in.			
ZML-9436-8-50	8 ft.	0.50 in.	ZML-9336-8-50	8 ft.	0.50 in.			
			ZML-9326-8-50	8 ft.	0.60 in.			
ZML-9636-10-50	10 ft.	0.50 in.						
ZML-9626-10-50	10 ft.	0.60 in.						

# Green Series for Monitors Requiring Luer-Style Connectors

CO-EXTRUDED PVC/POLYETHYLENE SAMPLING LINES SUITABLE FOR MONITORING ANESTHETIC GASES					
1 MALE, 1 FEMALE LUER-STYLE CONNECTOR, 0.47-IN. INTERNAL DIAMETER			2 MALE LUER-STYLE CONNECTORS, 0.47-IN. INTERNAL DIAMETER		
ITEM	LENGTH	MOISTURE MANAGEMENT	ITEM	LENGTH	MOISTURE MANAGEMENT
<b>0.47-inch Internal Diameter</b>					
ZML-9440-8-50	8 ft.	None	ZML-9340-8-50	8 ft.	None
ZML-9441-8-50	8 ft.	5.0 micron filter	ZML-9341-8-50	8 ft.	5.0 micron filter
ZML-9442-8-50	8 ft.	6" Nafion	ZML-9342-8-50	8 ft.	6" Nafion
ZML-9443-8-50	8 ft.	12" Nafion	ZML-9343-8-50	8 ft.	12" Nafion
ZML-9445-8-50	8 ft.	Filter and 6" Nafion	ZML-9345-8-50	8 ft.	Filter and 6" Nafion
ZML-9446-8-50	8 ft.	Filter and 12" Nafion	ZML-9346-8-50	8 ft.	Filter and 12" Nafion
			ZML-9540-10-50	10 ft.	None

<b>0.40-inch Internal Diameter</b>					
			ZML-9550-10-50	10 ft.	None
			ZML-9553-10-50	10 ft.	12" Nafion

<b>0.50-inch Internal Diameter</b>					
			ZML-9530-10-50	10 ft.	None

<b>0.60-inch Internal Diameter</b>					
			ZML-9520-10-50	10 ft.	None

# Blue Series CapnoVue Masks

Striving  
to be  
**#1 IN PATIENT  
SATISFACTION**



CapnoVue M1 Mask



CapnoVue Scope Mask

ADULT		PEDIATRIC		INFANT	
ITEM	O <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH	ITEM	O <sub>2</sub> LENGTH
<b>M1 Mask Without Oral Access, Trumpet O<sub>2</sub> Connector</b>					
4727-7-0-50	7 ft.	4723-7-0-50	7 ft.	4721-7-0-50	7 ft.
4727-14-0-50	14 ft.	4723-14-0-50	14 ft.	4721-14-0-50	14 ft.

<b>M1 Mask Without Oral Access, Universal Thread Grip O<sub>2</sub> Connector</b>					
4727TG-7-0-50	7 ft.	4723TG-7-0-50	7 ft.	4721TG-7-0-50	7 ft.
4727TG-14-0-50	14 ft.	4723TG-14-0-5	14 ft.	4721TG-14-0-50	14 ft.

<b>Scope Mask with Oral Access, Trumpet O<sub>2</sub> Connector</b>					
4737-7-0-50	7 ft.	4733-7-0-50	7 ft.		
4737-14-0-50	14 ft.	4733-14-0-50	14 ft.		

<b>Scope Mask with Oral Access, Universal Thread Grip O<sub>2</sub> Connector</b>					
4737TG-7-0-50	7 ft.	4733TG-7-0-50	7 ft.		
4737TG-14-0-50	14 ft.	4733TG-14-0-50	14 ft.		

All blue series items packaged 50 per case  
 CO<sub>2</sub> Sampling line is not included  
 Nafion® is a registered trademark of Dupont  
 CapnoVue® is a registered trademark of Monitor Mask  
 Luer-Lok® and Luer-Slip® are registered trademarks of Becton Dickinson

30 Spur Drive, El Paso, TX 79906  
 Phone: 1-800-421-0024  
 International: 1-303-799-1990  
 Fax: 800-628-4690  
 E-mail: [customercare@salterlabs.com](mailto:customercare@salterlabs.com)  
[www.salterlabs.com](http://www.salterlabs.com)